

# Low-Emitting Materials

## Certificate of Compliance

Awarded to: **RIKETT AMERICA HOLDING, INC. OF CITY OF INDUSTRY, CA** 17870 CASTLETON ST., SUITE 250; ZIP CODE: 91748

Category: Construction Materials - Flooring  
Cert. Scheme: VOC Emissions

Accredited Compliance Designation: California Dept. of Public Health Standard Method v1.2 classroom, private office

\*Conforms With: LEED v4 ID+C, BD+C Collaborative for High Performance Schools EQ 7.1.2 Criteria of MAS Certified Green® Program TVOC Emissions at 14-days low-emitting interiors flooring systems low-emitting material 0.5 mg/m<sup>3</sup> or less

Bracketed Products: Quartz Tile - Classic, Granite, Medley (includes Non-Chip and Chip style)

Test Date & Report No.: 10/12/2018 1801364

Certificate No.: MAS1801364a valid October 2018 to October 2019



Testing Cert. # 2925.01  
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025  
3<sup>rd</sup> Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065  
\*outside of A2LA accreditation scope

